



E-ABLE POWER TECHNOLOGY CO.,LIMITED


CONTACT: ARTHUR CHOW MOBILE PHONE: +86-18668315797 E-MAIL: arthur@e-ablepower.com WEBSITE: http://www.e-ablepower.com/led-bulb.htm


white box is available for standard price


color of shell: full silvery /die silvery light cap: white/haft transparent


	Item Number	ELB301	Product Name	LED bulb
	Base	E27	Life	50000 hours
	Power	3W	Work temperature	-20 ~ 40
	LED Type	3*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	300-330LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	25X25X30cm
	Size	φ49x72 mm	Unit Price	
Weight	76G	100pcs ~1000pcs	USD2.84	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face,brushed qualities, satin, glossy black, tungsten silver color.The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB302	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	3W	Work temperature	-20 ~ 40
	LED Type	3*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	300-330LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	30X30X33cm
	Size	φ60x84 mm	Unit Price	
Weight	65G	100pcs ~1000pcs	USD3.09	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face,brushed qualities, satin, glossy black, tungsten silver color.The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB401	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	4W	Work temperature	-20 ~ 40
	LED Type	4*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	400-440LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	30X30X38cm
	Size	φ60x94 mm	Unit Price	
Weight	85G	100pcs ~1000pcs	USD3.96	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face,brushed qualities, satin, glossy black, tungsten silver color.The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB501	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	5W	Work temperature	-20 ~ 40
	LED Type	5*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	500-550LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	32X32X44cm
	Size	φ62x109 mm	Unit Price	
Weight	94G	100pcs ~1000pcs	USD4.71	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face,brushed qualities, satin, glossy black, tungsten silver color.The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB601	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	6W	Work temperature	-20 ~ 40
	LED Type	6*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE, RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	600-660LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy, acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	32X32X48cm
	Size	φ62x119 mm	Unit Price	
Weight	112G	100pcs ~1000pcs	USD5.18	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB602	Product Name	LED bulb
	Base	E26, E27, B22, GU10	Life	50000 hours
	Power	6W	Work temperature	-20 ~ 40
	LED Type	6*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE, RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	600-660LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy, acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X56cm
	Size	φ70x 138mm	Unit Price	
Weight	112G	100pcs ~1000pcs	USD6.53	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB701	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	7W	Work temperature	-20 ~ 40
	LED Type	7*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE, RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	700-770LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy, acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	30X30X52cm
	Size	φ60x124 mm	Unit Price	
Weight	135G	100pcs ~1000pcs	USD5.74	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB702	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	7W	Work temperature	-20 ~ 40
	LED Type	7*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE, RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	700-770LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy, acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	31X31X52cm
	Size	φ62x129 mm	Unit Price	
Weight	127G	100pcs ~1000pcs	USD6.04	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB703	Product Name	LED bulb
	Base	E26、E27、B22、GU10	Life	50000 hours
	Power	7W	Work temperature	-20 ~ 40
	LED Type	7*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	700-770LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、 acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X30cm
	Size	φ70x148mm	Unit Price	
Weight	145G	100pcs ~1000pcs	USD7.44	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB801	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	8W	Work temperature	-20 ~ 40
	LED Type	8*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	800-880LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、 acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	30X30X56cm
	Size	φ60x134 mm	Unit Price	
Weight	160G	100pcs ~1000pcs	USD6.53	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB802	Product Name	LED bulb
	Base	E26/E27	Life	50000 hours
	Power	8W	Work temperature	-20 ~ 40
	LED Type	8*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	800-880LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、 acrylic	Package	100CTN
	Surface treatment	polishing+heat tinting	Carton Size	32X32X56cm
	Size	φ62x139 mm	Unit Price	
Weight	190G	100pcs ~1000pcs	USD6.21	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB803	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	8W	Work temperature	-20 ~ 40
	LED Type	8*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	800-880LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、 acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X30cm
	Size	φ70x144mm	Unit Price	
Weight	190G	100pcs ~1000pcs	USD6.63	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB804	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	8W	Work temperature	-20 ~ 40
	LED Type	8*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	800-880LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X30cm
	Size	φ70x144mm	Unit Price	
Weight	185G	100pcs ~1000pcs	USD6.63	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB805	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	8W	Work temperature	-20 ~ 40
	LED Type	8*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	800-880LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	36X36X32cm
	Size	φ70.8x157mm	Unit Price	
Weight	190G	100pcs ~1000pcs	USD7.08	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB806	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	8W	Work temperature	-20 ~ 40
	LED Type	8*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	800-880LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	36X36X32cm
	Size	φ70.8x157mm	Unit Price	
Weight	190G	100pcs ~1000pcs	USD6.98	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB901	Product Name	LED bulb
	Base	E26、E27、B22、GU10	Life	50000 hours
	Power	9W	Work temperature	-20 ~ 40
	LED Type	9*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	900-990LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X32cm
	Size	φ70x158mm	Unit Price	
Weight	224G	100pcs ~1000pcs	USD8.68	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB902	Product Name	LED bulb
	Base	E26、E27	Life	50000 hours
	Power	9W	Work temperature	-20 ~ 40
	LED Type	9*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminous flux	900-990LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X30cm
	Size	φ96.5x141 mm	Unit Price	
Weight	236G	100pcs ~1000pcs	USD8.85	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB903	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	9W	Work temperature	-20 ~ 40
	LED Type	9*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminous flux	900-990LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X32cm
	Size	φ70x155mm	Unit Price	
Weight	240G	100pcs ~1000pcs	USD7.63	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB904	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	9W	Work temperature	-20 ~ 40
	LED Type	9*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminous flux	900-990LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	36X36X34cm
	Size	φ70.8x168mm	Unit Price	
Weight	240G	100pcs ~1000pcs	USD7.99	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB1001	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	10W	Work temperature	-20 ~ 40
	LED Type	10*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminous flux	1000-1100LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	35X35X34cm
	Size	φ70x165mm	Unit Price	
Weight	230G	100pcs ~1000pcs	USD8.82	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB1002	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	10W	Work temperature	-20 ~ 40
	LED Type	10*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	1000-1100LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	36X36X36cm
	Size	φ70.8x178mm	Unit Price	USD8.93
Weight	270G	100pcs ~1000pcs		
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB1003	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	10W	Work temperature	-20 ~ 40
	LED Type	10*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	1000-1100LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X24cm
	Size	φ95.5x118 mm	Unit Price	USD8.96
Weight	280G	100pcs ~1000pcs		
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			


	Item Number	ELB1101	Product Name	LED bulb
	Base	E26、E27	Life	50000 hours
	Power	11W	Work temperature	-20 ~ 40
	LED Type	11*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	1100-1210LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	37X37X33cm
	Size	φ71x156mm	Unit Price	USD9.96
Weight	310G	100pcs ~1000pcs		
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB1201	Product Name	LED bulb
	Base	E26、E27	Life	50000 hours
	Power	12W	Work temperature	-20 ~ 40
	LED Type	12*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	1200-1320LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X33cm
	Size	φ96.5x161 mm	Unit Price	USD11.98
Weight	370G	100pcs ~1000pcs		
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB1501	Product Name	LED bulb
	Base	E26、E27	Life	50000 hours
	Power	15W	Work temperature	-20 ~ 40
	LED Type	15*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	1500-1650LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X37cm
	Size	φ96.5x181 mm	Unit Price	
Weight	450G	100pcs ~1000pcs	USD14.00	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB1801	Product Name	LED bulb
	Base	E26、E27	Life	50000 hours
	Power	18W	Work temperature	-20 ~ 40
	LED Type	18*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	1800-1980LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X42cm
	Size	φ96.5x201 mm	Unit Price	
Weight	560G	100pcs ~1000pcs	USD16.18	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB2101	Product Name	LED bulb
	Base	E26、E27	Life	50000 hours
	Power	21W	Work temperature	-20 ~ 40
	LED Type	21*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	2100-2310LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X44cm
	Size	φ96.5x217 mm	Unit Price	
Weight	680G	100pcs ~1000pcs	USD18.31	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			

	Item Number	ELB2401	Product Name	LED bulb
	Base	E26、E27、B22、GU10、E40	Life	50000 hours
	Power	24W	Work temperature	-20 ~ 40
	LED Type	24*1W LED (Taiwan Jingyuan)	degree of light angle	180
	Input Volt	AC100-240V, 50Hz-60Hz	approval certification	CE、RoHS
	Color	Warm white / daylight	quality-testing Standard	GB 16844-2008/IEC 60968:1999
	Luminouse flux	2400-2640LM	guarantee period	Changing for two years, repairing for five years
	Material of shell	aluminium alloy、acrylic	Package	50CTN
	Surface treatment	polishing+heat tinting	Carton Size	50X50X50cm
	Size	φ96.5x241mm	Unit Price	
Weight	810G	100pcs ~1000pcs	USD20.68	
Product feature	Importing colorful LEDs, color-conditioning system of independent development, energy saving, efficient and environmentally friendly. Aluminum shell with anodized face, brushed qualities, satin, glossy black, tungsten silver color. The light shell is high-level aluminum alloy; long-distance, long life, low temperature, high-brightness, less power, it is 15 times saving-energy than common lamps.			
Application	Hotel, bedroom, corridor, shopping malls, museums, showcase.			