



E-ABLE POWER TECHNOLOGY CO.,LTD

Add:No.568 Jiangnan Road ,Jiangdong District ,Ningbo ,Zhejiang ,China

Tel: +86 18668315797

Web: www.e-ablepower.com E-mail: arthur@e-ablepower.com


Preferential Led Tube

T8 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-T8-TY-2835-48-10W	2835 48 pcs	10W		600*Φ26	2700K-6500K	750 lm	75	>0.95	75*25*25 cm G.W: 8.5KG	AC 85-265V
B-T8-TY-2835-72-14W	2835 72pcs	14W		900*Φ26	2700K-6500K	1250 lm	75	>0.95	75*25*25 cm G.W: 10.5KG	AC 85-265V
B-T8-TY-2835-96-18W	2835 96PCS	18W		1200*Φ26	2700K-6500K	1560 lm	75	>0.95	135*25*25 cm G.W: 12.5KG	AC 85-265V
B-T8-TY-2835-105-22W	2835 105PCS	22W		1200*Φ26	2700K-6500K	1950 lm	75	>0.95	135*25*25 cm G.W: 12.6KG	AC 85-265V
B-T8-TY-2835-126-25W	2835 126PCS	25W		1500*Φ26	2700K-6500K	1950 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V
B-T8-TY-2835-192-35W	2835 192PCS	35W		1800*Φ26	2700K-6500K	3650 lm	75	>0.95	195*25*25 cm G.W: 15.2KG	AC 85-265V
B-T8-TY-2835-210-45W	2835 210PCS	45W		2400*Φ26	2700K-6500K	4550 lm	75	>0.95	255*25*25 cm G.W: 15.2KG	AC 85-265V

FA8 Led Tube

FA8 / T8 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-T8-FA8-TY-2835-48-10W	2835 48 pcs	10W		600*Φ26	2700K-6500K	750 lm	75	>0.95	75*25*25 cm G.W: 8.5KG	AC 85-265V
B-T8-FA8-TY-2835-72-14W	2835 72pcs	14W		900*Φ26	2700K-6500K	1250 lm	75	>0.95	75*25*25 cm G.W: 10.5KG	AC 85-265V
B-T8-FA8-TY-2835-96-18W	2835 96PCS	18W		1200*Φ26	2700K-6500K	1560 lm	75	>0.95	135*25*25 cm G.W: 12.5KG	AC 85-265V
B-T8-FA8-TY-2835-105-22W	2835 105PCS	22W		1200*Φ26	2700K-6500K	1950 lm	75	>0.95	135*25*25 cm G.W: 12.6KG	AC 85-265V
B-T8-FA8-TY-2835-126-25W	2835 126PCS	25W		1500*Φ26	2700K-6500K	2250 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V
B-T8-FA8-TY-2835-150-32W	2835 150PCS	32W		1800*Φ26	2700K-6500K	3250 lm	75	>0.95	135*25*25 cm G.W: 12.6KG	AC 85-265V
B-T8-FA8-TY-2835-192-36W	2835 192PCS	36W		2400*Φ26	2700K-6500K	3650 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V
B-T8-FA8-TY-2835-210-45W	2835 210PCS	45W		2400*Φ26	2700K-6500K	4550 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V

Radar Led Tube

T8 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-LD-600-10W	2835 50 pcs	10W		600*Φ26	2700K-6500K	750 lm	75	>0.9	75*25*25 cm G.W: 8.5KG	AC 185-265V
B-LD-900-14W	2835 75pcs	14W		900*Φ26	2700K-6500K	1200 lm	75	>0.9	75*25*25 cm G.W: 10.5KG	AC 185-265V
B-LD-1200-18W	2835 96PCS	18W		1200*Φ26	2700K-6500K	1560 lm	75	>0.9	135*25*25 cm G.W: 12.5KG	AC 185-265V
B-LD-1500-23W	2835 125PCS	23W		1500*Φ26	2700K-6500K	2250 lm	75	>0.9	165*25*25 cm G.W: 15.2KG	AC 185-265V

Fresh Meat Led Tube

T8 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-T8-SMD-03-10W	3528 72pcs	5W		330*Φ26	2700K-6500K	500 lm	75	>0.95	45*25*25 G.W: 3.5KG	AC85-265V
B-T8-SMD-06-10W	3528 144pcs	10W		600*Φ26	2700K-6500K	1000 lm	75	>0.95	75*25*25 G.W: 6.5KG	AC85-265V
B-T8-SMD-09-12W	3528 189pcs	12W		900*Φ26	2700K-6500K	1200 lm	75	>0.95	105*25*25 G.W: 8.5KG	AC85-265V
B-T8-SMD-12-18W	3528 276pcs	18W		1200*Φ26	2700K-6500K	1800 lm	75	>0.95	125*25*25 G.W: 12.6KG	AC85-265V
B-T8-SMD-12-22W	3528 330pcs	22W		1200*Φ26	2700K-6500K	2200 lm	75	>0.95	125*25*25 G.W: 12.6KG	AC85-265V
B-T8-SMD-15-22W	3528 336pcs	22W		1500*Φ26	2700K-6500K	2200 lm	75	>0.95	165*25*25 G.W: 14.6KG	AC85-265V
B-T8-SMD-18-36W	3528 528pcs	36W		1800*Φ26	2700K-6500K	3600 lm	75	>0.95	195*25*25 G.W: 18.6KG	AC85-265V
B-T8-SMD-24-45W	3528 600pcs	40W		2400*Φ26	2700K-6500K	4000 lm	75	>0.95	255*25*25 G.W: 24.6KG	AC85-265V

Integration T5 Led Tube

Integration T5 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-T5-I-2835-48-10W	2835 48 pcs	10W		600*25*28	2700K-6500K	750 lm	75	>0.95	75*25*25 cm G.W: 6.5KG	85-265V
B-T5-I-2835-72-14W	2835 72 pcs	14W		600*25*28	2700K-6500K	750 lm	75	>0.95	75*25*25 cm G.W: 6.5KG	85-265V
B-T5-I-2835-96-18W	2835 96PCS	18W		1200*25*28	2700K-6500K	1590 lm	75	>0.95	135*25*25 cm G.W: 12.5KG	85-265V
B-T5-I-2835-126-25W	2835 126PCS	25W		1500*25*28	2700K-6500K	2390 lm	75	>0.95	165*25*25 cm G.W: 12.5KG	85-265V

Dimmer Led Tube

T8 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-T8-D-TY-2835-48-10W	2835 48 pcs	10W		600*Φ26	2700K-6500K	750 lm	75	>0.95	75*25*25 cm G.W: 8.5KG	AC 85-265V
B-T8-D-TY-2835-72-14W	2835 72pcs	14W		900*Φ26	2700K-6500K	1250 lm	75	>0.95	75*25*25 cm G.W: 10.5KG	AC 85-265V
B-T8-D-TY-2835-96-18W	2835 96PCS	18W		1200*Φ26	2700K-6500K	1560 lm	75	>0.95	135*25*25 cm G.W: 12.5KG	AC 85-265V
B-T8-D-TY-2835-105-22W	2835 105PCS	22W		1200*Φ26	2700K-6500K	1950 lm	75	>0.95	135*25*25 cm G.W: 12.6KG	AC 85-265V
B-T8-D-TY-2835-126-25W	2835 126PCS	25W		1500*Φ26	2700K-6500K	2250 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V
B-T8-D-TY-2835-150-32W	2835 150PCS	32W		1800*Φ26	2700K-6500K	1950 lm	75	>0.95	135*25*25 cm G.W: 12.6KG	AC 85-265V
B-T8-D-TY-2835-210-45W	2835 210PCS	45W		2400*Φ26	2700K-6500K	2250 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V
D-200W-01	~	200W		~	~	~	75	~	LED Dimmer	90-240V/180-240V

Detachable Led Tube

T8 LED tube	LED Qty (pcs)	Power (W)	Pictures	Product size (mm)	Color Temperature	Lumen (lm)	Ra	PF	Packing size (/30pcs/CTN)	Voltage (AC/V)
B-T8-ZH-2835-48-10W	2835 48 pcs	10W		600*Φ26	2700K-6500K	750 lm	75	>0.95	75*25*25 cm G.W: 8.5KG	AC 85-265V
B-T8-ZH-2835-72-14W	2835 72pcs	14W		900*Φ26	2700K-6500K	1250 lm	75	>0.95	75*25*25 cm G.W: 10.5KG	AC 85-265V
B-T8-ZH-2835-96-18W	2835 96PCS	18W		1200*Φ26	2700K-6500K	1560 lm	75	>0.95	135*25*25 cm G.W: 12.5KG	AC 85-265V
B-T8-ZH-2835-105-22W	2835 105PCS	22W		1200*Φ26	2700K-6500K	2050 lm	75	>0.95	135*25*25 cm G.W: 12.6KG	AC 85-265V
B-T8-ZH-2835-126-22W	2835 126PCS	22W		1500*Φ26	2700K-6500K	2050 lm	75	>0.95	165*25*25 cm G.W: 15.2KG	AC 85-265V